

natural associates of the button-bush, requiring similar habitat, but their relations with it are of the most tenuous sort. Among all the insects named only three, and these three, Hemiptera (nos. 14–16), appeared to be getting their living entirely at the expense of the button-bush, and of these three the first was not very common, and the other two were beset by most efficient enemies.

## THE HEMIPTERA DESCRIBED BY PHILIP REESE UHLER. I.

BY SAMUEL HENSHAW, CAMBRIDGE, MASS.

- 1860   **1** Hemiptera of the North Pacific exploring expedition under Com'r's Rodgers and Ringgold. Proc. acad. nat. sci. Phil., 1860, p. 221–231.
- 1861   **2** Homoptera of the North Pacific exploring expedition under Com'r's Rodgers and Ringgold. Proc. acad. nat. sci. Phil., 1861, p. 282–284.
- 1861   **3** Descriptions of four species of Hemiptera collected by the North-western boundary survey. Proc. acad. nat. sci. Phil., 1861, p. 284–286.
- 1861   **4** Rectification of the paper upon the Hemiptera of the North Pacific expedition. Proc. acad. nat. sci. Phil., 1861, p. 286–287.
- 1861   **5** Descriptions of a few new species of Hemiptera, and observations upon some already described. Proc. ent. soc. Phil., 1861, vol. 1, p. 21–24.
- 1863   **6** Hemipterological contributions.—No. 1. Proc. ent. soc. Phil., 1863, vol. 2, p. 155–162.
- 1863   **7** Hemipterological contributions.—No. 2. Proc. ent. soc. Phil., 1863, vol. 2, p. 361–366.
- 1869   **8** Notices of the Hemiptera obtained by the expedition of Prof. James Orton in Ecuador and Brazil. Proc. Bost. soc. nat. hist., 1869, vol. 12, p. 321–327.
- 1870   **9** [*Podisus placidus.*] Amer. ent. and bot., 1870, vol. 2, p. 203.
- 1871   **10** Notices of some Heteroptera in the collection of Dr. T. W. Harris. Proc. Bost. soc. nat. hist.; 1871, vol. 14, p. 93–109.
- 1871   **11** [Salt water Hemiptera.] Amer. journ. sci., 1871, ser. 3, vol. 1, p. 105–106.
- 1871   **12** A list of Hemiptera collected in eastern Colorado and northwestern New Mexico, by C. Thomas, during the expedition of 1869. Rept. U. S. geol. surv. Wyoming, 1871, p. 471–472.

- 1872 13 Notices of the Hemiptera of the western territories of the United States, chiefly from the surveys of Dr. F. V. Hayden. Rept. U. S. geol. surv. Montana, 1872, p. 392-423.
- 1875 14 List of the species of Hemiptera and Neuroptera, obtained by Prof. James Orton, in northern Peru. Proc. Bost. soc. nat. hist., 1875, vol. 17, p. 282-286.
- 1875 15 Report upon the collections of Hemiptera made in portions of Nevada, Utah, California, Colorado, New Mexico, and Arizona, during the years 1871, 1873, and 1874. Rept. geog. and geol. surv., 1875, vol. 5, p. 829-842, pl. 42.
- 1876 16 List of Hemiptera of the region west of the Mississippi river, including those collected during the Hayden explorations of 1873. Bull. U. S. geol. and geog. surv., 1876, vol. 1, p. 269-361, pl. 19-21.
- 1877 17 Report upon the insects collected by P. R. Uhler during the explorations of 1875, including monographs of the families Cydnidae and Saldae, and the Hemiptera collected by A. S. Packard, Jr., M. D. Bull. U. S. geol. and geog. surv., 1877, vol. 3, p. 355-475: 765-801, pls. 27-28.
- 1878 18 Notices of the Hemiptera Heteroptera in the collection of the late T. W. Harris, M. D. Proc. Bost. soc. nat. hist., 1878, vol. 19, p. 365-446.
- 1878 19 On the Hemiptera collected by Dr. Elliott Coues, U. S. A., in Dakota and Montana, during 1873-74. Bull. U. S. geol. and geog. surv., 1878, vol. 4, p. 503-512.
- 1880 20 Remarks on a new form of jassid. Amer. ent., 1880, vol. 3, p. 72-73.
- 1884 21 Order VI.—Hemiptera. Standard natural history, 1884, vol. 2, p. 204-296. Riverside natural history, [1888], vol. 2, p. 204-296.
- 1886 22 Check-list of the Hemiptera Heteroptera of North America. Brooklyn, 1886. 34 pp.
- 1886 23 A new noxious capsid. Can. ent., 1886, vol. 18, p. 208-209.
- 1887 24 [*Lygus monachus*.] U. S. dept. agric. Div. ent. Bull. 13, 1887, p. 63-64.
- 1887 25 Observations on some North American Capsidae. Ent. Amer., 1887, vol. 2, p. 229-231.
- 1887 26 Observations on some Capsidae with descriptions of a few new species. (No. 2.) Ent. Amer., 1887, vol. 3, p. 29-35.
- 1887 27 Observations on North American Capsidae with descriptions of new species. (No. 3.) Ent. Amer., 1887, vol. 3, p. 67-72.
- 1887 28 Observations on Capsidae with descriptions of new species. (No. 4.) Ent. Amer., 1887, vol. 3, p. 149-151.

- 1888 **29** Preliminary survey of the Cicadæa of the United States.<sup>1</sup> Ent. Amer., 1888, vol. 4, p. 21-23 : 81-85.
- 1889 **30** New genera and species of American Homoptera. Trans. Maryland acad. sci., 1889, vol. 1, p. 33-44.
- 1889 **31** Observations upon the Heteroptera collected in southern Florida by Mr. E. A. Schwarz. Proc. ent. soc. Washington, 1889, vol. 1, p. 142-143.
- 1889 **32** Observations on the insects of the Bermudas. Heilprin's The Bermuda Islands. Philadelphia, 1889, p. 152-158.
- 1890 **33** Observations on North American Capsidae, with descriptions of new species. No. 5. Trans. Maryland acad. sci., 1890, vol. 1, p. 73-88.
- 1891 **34** Observations on some remarkable forms of Capsidae. Proc. ent. soc. Washington, 1891, vol. 2, p. 119-123.
- 1891-92 **35** Remarkable new Homoptera. Trans. Maryland acad. sci., 1891, vol. 1, p. 143-147.
- 1892 **36** Preliminary survey of the Cicadidae of the United States, Antilles and Mexico. Trans. Maryland acad. sci., 1892, vol. 1, p. 147-175.
- 1892 **37** Additions to the family Cicadidae. Trans. Maryland acad. sci., 1892, vol. 1, p. 175-179.
- 1892 **38** Observations on some remarkable Heteroptera of North America. Trans. Maryland acad. sci., 1892, vol. 1, p. 179-184.
- 1893 **39** Summary of the collection of Hemiptera secured by Mr. E. A. Schwarz in Utah. Proc. ent. soc. Washington, 1893, vol. 2, p. 366-385.
- 1893 **40** Hemiptera, Heteroptera of the Death Valley expedition. North American fauna, 1893, no. 7, p. 260-265.
- 1893 **41** A list of the Hemiptera-Heteroptera collected in the Island of St. Vincent by Mr. Herbert H. Smith; with descriptions of new genera and species. Proc. zool. soc. London, 1893, p. 705-719.
- 1894 **42** A list of the Hemiptera-Heteroptera of the families Anthocoridae and Ceratocombidae collected by Mr. H. H. Smith in the Island of St. Vincent; with descriptions of new genera and species. Proc. zool. soc. London, 1894, p. 156-160.
- 1894 **43** On the Hemiptera-Heteroptera of the Island of Grenada, West Indies. Proc. zool. soc. London, 1894, p. 167-224.
- 1894 **44** Observations upon the heteropterous Hemiptera of Lower California, with descriptions of new species. Proc. Cal. acad. sci., 1894, ser. 2, vol. 4, p. 223-295.

<sup>1</sup> The continuation, p. 81, adds "Antilles, and Mexico."

- 1895 **45** An enumeration of the Hemiptera-Homoptera of the Island of St. Vincent, W. I. Proc. zool. soc. London, 1895, p. 55-84.
- 1895 **46** [Descriptions of new Hemiptera from Colorado.] Bull. 31, Col. agric. exper. station, 1895.
- 1896 **47** Summary of the Hemiptera of Japan, presented to the United States national museum by Professor Mitzukuri. Proc. U. S. nat. mus., 1896, vol. 19, p. 255-297.
- 1897 **48** Contributions towards a knowledge of the Hemiptera-Heteroptera of North America.—No. 1. Trans. Maryland acad. sci., 1897, vol. 1, p. 383-394.
- 1897 **49** [New Hemiptera.] Can. ent., 1897, vol. 29, p. 116-118.
- 1899 **50** A new destructive capsid. Ent. news, 1899, vol. 10, p. 59.
- 1900 **51** Aids to a recognition of some North American genera and species of the old family Fulgoridae. Trans. Maryland acad. sci., 1900, vol. 1, p. 401-408.
- 1901 **52** Some new genera and species of North American Hemiptera. Proc. ent. soc. Washington, 1901, vol. 4, p. 507-515.

### CORIMELAENIDAE.

#### CORIMELAENA.

- anthracina, 16-270 Cal.  
 ciliata, 6-156; 16-270 [Cal.]: San Francisco.  
 cyanea, 6-157; 16-270 Cal. = coerulescens Stål (1862).  
 denudata, 6-157 La.  
 extensa, 6-155 [Mont.]: near Ft. Benton.  
 incerta, 6-156 Cuba.  
 minuta, 6-155 Cuba.  
 obtusa, 44-225 L. Cal.: San Jorge.  
 renormata, 46-11 Col.: Rist canon.

### SCUTELLERIDAE.

#### AUGOCORIS

poeyi, 6-158 Cuba.

#### AULACOSTETHUS, 10-93; 18-367.

simulans, 16-272 [Cal.]: vic. San Francisco.

**CAMIRUS**

consocius, 16-274 (*Zophoessa*) Ariz.

**CHRYSOCORIS**

distinguendus, 4-286 (*Callidea*) pro *superbus* || Uhler = *grandis* Thunb. (1783).  
*superbus*, || 1-221 (*Eucorysses*) Japan: Simoda. = *grandis* Thunb.  
 (1783).

**HOMOEMUS.**

bijugis, 13-393 Col.; Neb.  
 consors, 16-272 —

**ORSILOCHUS**

complicatus, 7-361 (*Pachycoris*) Mex. = *variabilis* H-S. (1839).

**PACHYCORIS**

discrepans, 14-282 Peru: W. of Huallaja river.  
*dissociatus*, 5-21 Mex.: New Leon.  
*stallii*, 6-159 L. Cal.: Cape San Lucas. = *torridus* Scop. (1772).  
*wilsonii*, 6-159 Cuba.

**SYMPHYLUS**

infamatus, 7-361. Mex.

**TETYRA**

robusta, 48-383 S. W. Ariz.; Mex.: Sonora.  
*tristis*, 5-21 (*Macraulax*) Md.: Baltimore. = *bipunctata* H-S. (1839).

## CYDNIDAE.

**ADRISA**

magna, 1-222 (*Acatalectus*) [China]: Hong Kong.

**AETHUS**

communis, 17-379 Cuba: Havana; Fla.: near St. John's river, near  
 Orange Springs; Tex.: Dallas Co.

**AMNESTUS**

*pusillus*, 16-278 Ind. Terr.; Tex.; Cuba; E. U. S. south of Cape Cod.

**BRACHYPELTIA**

elevata, 1-222 Cape of Good Hope. = *aterrima* Forst. (1771).

**CRYPTOPORUS**, 17-381

compactus, 17-382 Tex.: Galveston Island.

**CYDNUS**

obliquus, 13-394 (*Microporus*) Ut.: Ogden.

**CYRTOMENUS**

obtusus, 17-369 Tex.; Ariz.; Mex.

## GEOTOMUS

- elongatus, 16-280 (Melanaethus) Cal.  
 picinus, || 17-391 (Melanaethus) Pa. : York Co. = pennsylvanicus Sign.  
 (1883).

robustus, 17-390 (Melanaethus) Md. : near Baltimore; Mass. : Andover.

## HOMALOPORUS, 17-376

congruuus, 17-377 Col. : vic. Denver City, w. of Denver; Tex. : Dallas Co.

## LOBONOTUS, 17-395

anthracinus, 17-395 Tex. : McLennan Co.

## MACROPORUS, 16-278.

repetitus, 16-279; 17-375 [Cal.] : San Francisco; [Md.] : w. of Baltimore.

## MELANAETHUS, 16-280

= Geotomus Muls. & Rey (1866).

## MICROPORUS, 16-275.

testudinatus, 16-276. Cal.

## PANGAEUS

discrepans, 17-386 Ind. Terr. : near Ft. Cobb; Cal. : San Diego; Tex.; Mex.

## RHYTIDOPORUS, 17-380

indentatus, 17-380 Cuba; S. Fla.

## TRICHOCORIS, 16-277

conformis, 16-277 Cal. : San Francisco.

## PENTATOMIDAE.

## ACANTHOSOMA

vicinum, 4-286 China : Hong Kong.

## ATOMOSIRA, 10-97

= Banasa Stål (1868).

## BANASA

lenticularis, 43-174 Grenada.

sordida, 10-98 (Atomosira) —

## BROCHYMENA

harrisii, 10-95 S. C.; Pa. : Lancaster Co. = annulata Fabr. (1775).

## CARBULA

humericera, 1-223 (Pentatoma) Japan : Takanosima.

## DINOCORIS

fraternus, 8-321 (Antiteuchus) Near Napo river.

## EDESSA

rugulosa, 43-177 Grenada.

## EUCHISTUS

- conspersus, 48-388 Cal.: vic. San Francisco; Wash.  
 fissilis, 10-96; 13-396 —  
 politus, 49-117 Mass.; R. I.; Pa.; D. C.; S. Md.

## EYSARCORIS

- intergressus, 39-368 Ut.: Amer. Fork canon; Kans.; Cal.  
 parvus, 47-258 Japan.

## GONOPSIS

- affinis, 1-224 (Dichelops) Japan: Simoda.

## HALYOMORPHA

- mistus, 1-223 (Poecilometis) Japan: Simoda; China: Hong Kong.  
 = picus Fabr. (1794).

## HYMENARCYS

- crassa, 48-387 Ariz.

## LIODERMA, 10-97

- congrua, 16-288 (Chlorochroa) Col.  
 viridicata, 15-830, pl. 42, f. 11 Col.: near Roaring Fork.

## LIOTROPIS, 17-399

- contaminatus, 48-390 (Dendrocoris) Ariz.: near Tucson.  
 humeralis, 17-400 Mass.: near Charlestown, Andover, Lynn; N. J.: Egg Harbor; Col.: near Manitou; Md.; Geo.

## OPLOMUS

- annotatus, 7-362 Cuba.

## PERIBALUS

- abbreviatus, 13-397 (Holcostethus) Kans.; Col.; Cal.  
 granulosus, 13-398 (Pentatoma) Mont.; Ut.: near Ogden; W. Terr.; Cal. = sayi Stål (1872).  
 modestus, 13-396 Ariz.; Kans.; Col.; N. Engl.; E. of the Miss.  
 splendidus, 5-22 (Zicrona) Cal.

## PODISUS

- crocatus, 48-384 W. Or.; Wash.; Vanc. Isl.; Cal.  
 gillettei, 46-12 Col.: Rist canon.  
 mucronatus, 48-386 Cuba; S. Fla.  
 placidus, 9-203, f. 124; 49-116 Can.; Wash.; Mass.  
 serieventris, 10-94 Mass.: Cambridge; Me.: Minn.

## PRIONOSOMA, 7-363

- podopiooides, 7-364 Cal.

## RHAPHIGASTER

- disjectus, 1-224 [China]: Hong Kong.

## COREIDAE.

## ACANTHOCEPHALA

- confraterna, 10-99 (Metapodius) Fla.  
 instabilis, 10-98 (Metapodius) Pa.; N. C.  
 thomasii, 13-399 (Metapodius) Ariz. = granulosa Dallas (1852).

## ALYDUS

- pluto, 13-401 Col.; Id.; Ross Fork: La.; Kans.

**ANACANTHOCORIS**, 4-287 pro *Anacanthus* || Uhler = *Homoeocerus* Burm. (1835).

**ANACANTHUS**, || 1-227 = *Homoeocerus* Burm. (1835).

## ANASA

- obliqua, 5-23 (*Gonocerus*) Cal.

## BELONOMUS, 8-323

- annulaticornis, 8-324 Between Napo and Maranon.

## CHELINIDEA, 7-365

- vittiger, 7-366 Ut.; [Mont.]: Ft. Benton; Va.; La.

## COREUS

- humilis, 13-403 (*Dasycoris*) Col.; Kans.; Cal.

## CORIZUS

- borealis, 3-284 [Wash.]: E. of Ft. Colville: Arctic Amer. = *punctiventris* Dallas (1852).

- validus, 39-370 Ut.: near Gt. Salt Lake, Alta.; Or.; Cal.: Ft. Tejon.

- viridicatus, 13-404 Col.; Neb.; Dakota. = *hyalinus* Fabr. (1794).

## DARMISTIDUS, 41-706

- maculatus, 41-707 St. Vincent.

## HOMOCERUS

- concoloratus, 1-227 (*Anacanthus*) China: Hong Kong.

- marginatus, 47-260 Japan.

- punctipennis, 1-226 (*Gonocerus*) Japan: Simoda.

## HYGIA, 4-287

- opaca, 1-226 (*Pachycephalus*) Japan: Takanosima.

## MOZENA

- obtusa, 16-296 Tex.; N. Mex.: region of Rio Pecos river.

## OCHROCHIRA

- fuliginosa, 1-225 (*Discogaster*) —

**PACHYCEPHALUS**, || 1-225 = *Hygia* Uhler (1861).

## PLINACHTUS

- similis, 47-261 Japan.

## RIFTORTUS

annulatus, 1-225 (*Camptopus*) Japan: Simoda. = clavatus Thunb.  
(1783).

## SCOLOPOCERUS, 15-832

secundarius, 15-833, pl. 42, f. 5 Ariz.: vic. Gila river.

## BERYTIIDAE.

## ACANTHOHYPSA, 40-261

echinata, 40-261 Cal.: Argus mts.; near Los Angeles.

## JALYSUS

decurvatus, 10-100; 13-402 (*Neides*) N. H.: Dublin. = muticus Say  
(1832).

## METACANTHUS

capitatus, 43-181 Grenada.

## PRONOTACANTHA, 40-260

annulata, 40-260 Cal.: Argus mts.; Ariz.

## PROTACANTHUS, 41-707

decorus, 41-708 St. Vincent.

## LYGAEIDAE.

## APHANUS

boniniensis, 1-228 Bonin islands.

## BATHYDEMA, 41-709

socia, 41-710 St. Vincent.

## BELONOCHILUS, 10-104

## CNEMODUS

sobrius, 44-241 L. Cal.

## DYCODERUS, 52-507

picturatus, 52-508. Ariz.: near Phoenix; Col.: near Denver.

## EREMOCORIS

planus, 47-263 Japan.

## GEOCORIS

decoratus, 17-410 [Col.]: Clear Creek canon.

varius, 1-229 (*Ophthalmicus*) Japan: Simoda.

## GRAPSTOSTETHUS

ornatus, 1-227 (*Lygaeus*) China: Hong Kong. = servus Fabr. (1787).

**HELONOTUS**, || 16-312 = Phlegyas Stål (1865).

**HETEROGASTER**

behrensi, 16-312 (Phygadicus) Cal.

**LIGYROCORIS**

diffusus, 10-101 (Plociomerus) N. H. = sylvestris Stål (1874).  
terminalis, 47-262 Japan.

**LYGAEOSOMA**

solida, 40-262 Cal.: Mariposa co.

**LYGAEUS**

admirabilis, 13-405 Col.  
confraternus, 8-325 Between Napo and Marañon.  
melanopleurus, 40-262 Col.: Panamint mts.  
rubicollis, 44-244 (Melanocoryphus) L. Cal.: Cape San Lucas, San José  
del Cabo.

**NYSIUS**

angustatus, 13-406 Col.; Dakota; Can.  
inaequalis, 43-183 Grenada; Fla.; Cuba.  
minuta, 46-22 Col.: Ft. Collins, Pleasant valley, The Rustic, Estes Park,  
Grand Junction, Col. Springs, Montrose, Steamboat Springs; Dak.; Cal.;  
Can.; N. Engl.; N. Y.; N. J.; Md.; Va.; N. C.; Tex.  
providus, 43-182 Grenada.  
strigosus, 44-238 L. Cal.: San Julio.

**ORTHAEA**

maculifera, 1-228: 4-286 China; Hong Kong.

**OZOPHORA**, 10-102

picturata, 10-102 Mass.: Cambridge.  
unicolor, 44-242 L. Cal.: San José del Cabo, Cape San Lucas.

**PACHYGRONTHA**

antennata, 1-229 (Peliosoma) Japan: Simoda.  
similis, 47-264 Japan.

**PACHYMERUS**

albomarginatus, 1-227 Japan: Takanosima.

**PAMERA**

nitidula, 40-262 Cal.: Argus mts.; Tex.; N. Mex.

**PELIOPELTA**, 22-15 pro Helonotus || Uhler = Phlegyas Stål (1865).

**PELIOSOMA**, 1-229 = Pachygrontha Germ. (1837).

**PERITRECHUS**

fraternus, 10-103 Mass.: Cambridge.

## PHLEGYAS

abbreviata, 16-313 (*Helonotus*)      Neb.; Mo.; Ill.; Mich.; Mass.; N. Y.;  
Can.: Grimsby; N. J.; Md.; N. C.; Pa.      = *annulicornis* Stål (1874).

## PTOCHIOMERA

clavigera, 46-24      Col.: Ft. Collins, Poudre Canon, vic. Denver and  
Manitou; N. Y.; Tex.

## PYGAEUS, 43-187

pallidus, 43-187      Cuba; Tex.; Fla.; Mass.: Tewksbury; L. Can.; Md.;  
Grenada.

## RHYPAROCHROMUS

floralis, 46-26      Col.: Ft. Collins; Mont.; Cal.  
sodalicius, 15-835, pl. 42, f. 2. (*Megalonotus*) Cal.: Owen's valley Nev.:  
Virginia City; Or.; Tex.

## SPHAEROBIUS, 41-710.

gracilis, 41-711      St. Vincent.  
insignis, 13-407 (*Heraeus*)      Ut.: Ogden; Col.; Can.; Minn.

## TOMOPELTA, 41-708

munda, 41-709      St. Vincent.

## PYRRHOCORIDAE.

## DYSDERCUS

annuliger, 43-189      Grenada  
lunulatus, 5-24      Mex.?      = *albidiventris* Stål (1854).

## CAPSIDAE.

## AGALLIASTES

apiatus, 46-53      Col.: Ft. Collins, Manitou, Steamboat Springs; Kans.  
associatus, 13-419      Ut.: Ogden.  
decolor, 39-380      Ut.: Amer. Fork; Cal.: Los Angeles.  
fumidus, 46-54      Col.: Steamboat Springs.  
obliquus, 39-378      Ut.: Wasatch.  
signatus, 46-55      Col.: Manitou.  
stigmosus, 39-379      Ut.: Amer. Fork.  
uniformis, 39-379      Ut.: Amer. Fork.

## ASCIODEMA

inconspicua, 39-376      Ut.: Amer. Fork.

## ATOMOSCELIS

pilosulus, 39-377      Ut.: Amer. Fork.

- BOLTERIA, 26-33  
 amicta, 26-34 N. Mex.  
 picta, 39-373 Ut.: Amer. Fork.
- CALLODEMAS, 46-33  
 laevis, 46-33 Col.: Glenwood Springs; N. Mex.
- CALOCORIS  
 palmeri, 13-410 Ariz.  
 superbus, 15-838, pl. 42, f. 3 Cal.: Owen's valley.  
 tinctus, 46-34 Col.: Estes Park.  
 variabilis, 47-267 Japan.  
 vigens, 44-255 L. Cal.: San José del Cabo.
- CAMPTOBROCHIS  
 grandis, 25-230 Md.; Can.: Ontario; Mo.; Ohio; B. Amer.; Vanc. Island; Va.  
 nebulosus, 13-417 —  
 robustus, 46-39 Col.: N. Park, Leadville, Cameron Pass.  
 schwarzii, 39-375 Ut.: Amer. Fork; Wash.: near Ellensborough [=Ellensburg]; B. Col.
- CLOSTEROCORIS, 33-76  
 ornata, 33-77 Cal.: near San Francisco, Los Angeles, near San Diego, Ft. Tejon; L. Cal.: Island of Santa Cruz.
- COCCOBAPHES, 18-401  
 sanguinareus, 18-401 N. H.; Can.; N. C.
- COLLARIA  
 coracina, 18-398 (Nabidea). N. H.  
 explicata, 25-230 Cuba; San Domingo.
- COMPSOCEROCORIS  
 roseus, 44-253 L. Cal.: San Borgia; [Cal.]: Los Angeles.
- COQUILLETTIA, 33-78  
 insignis, 33-79 Dak.; Id.; Col.; Mont.; Cal.: Los Angeles, Santa Barbara.
- CYLLOCEPS, 41-711  
 pellicia, 41-712 Cuba; St. Vincent; S. Fla.; San Domingo.
- CYRTORRHINUS  
 marginatus, 46-43 Col.: Steamboat Springs; [Can.]: Quebec; B. Amer.: Gt. Slave Lake.
- DACOTA, 13-413  
 hesperia, 13-414 Col.; Dak.
- DERAEOCORIS  
 cerachates, 44-265 L. Cal.: San José del Cabo; Cal.: Los Angeles.